

Safety Data Sheet dated 13/1/2022, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: CRIS

UFI: MVD0-V033-700F-V196

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Regenerator agent for floors.

Professional use (SU22) - Polishes and wax blends (PC31)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Warning, Acute Tox. 4, Harmful if swallowed.



Danger, Skin Corr. 1A. Causes severe skin burns and eve damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.



P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Contains

MAGNESIUM HEXAFLUOROSILICATE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 20% - < 25% MAGNESIUM HEXAFLUOROSILICATE

Index number: 009-018-00-3, CAS: 18972-56-0, EC: 241-022-2



3.1/3/Oral Acute Tox. 3 H301



3.1/4/Inhal Acute Tox. 4 H332



3.3/1 Eye Dam. 1 H318

4.1/C3 Aquatic Chronic 3 H412

>= 5% - < 7% 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER REACH No.: 01-2119457435-35, Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1



2.6/3 Flam, Lig. 3 H226



3.8/3 STOT SE 3 H336

>= 0.5% - < 1% PHOSPHORIC ACID

REACH No.: 01-2119485924-24, Index number: 015-011-00-6, CAS: 7664-38-2, EC: 231-633-2



2.16/1 Met. Corr. 1 H290



3.2/1B Skin Corr. 1B H314



3.3/1 Eye Dam. 1 H318



3.1/4/Oral Acute Tox. 4 H302

Specific Concentration Limits:



C >= 25%: Skin Corr. 1B H314 10% <= C < 25%: Skin Irrit. 2 H315 10% <= C < 25%: Eye Irrit. 2 H319

>= 0.25% - < 0.5% STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT

CAS: 26635-92-7

3.2/2 Skin Irrit. 2 H315

3.3/1 Eye Dam. 1 H318

4.1/A1 Aquatic Acute 1 H400

4.1/C1 Aquatic Chronic 1 H410

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

54163CLP/4 Page n. 3 of15



Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.



7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data—are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2

MAGNESIUM HEXAFLUOROSILICATE - CAS: 18972-56-0

ACGIH - TWA(8h): 2.5 mg/m3

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

EU - TWA(8h): 375 mg/m3, 100 ppm - STEL: 568 mg/m3, 150 ppm - Notes: Skin ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr PHOSPHORIC ACID - CAS: 7664-38-2

EU - TWA(8h): 1 mg/m3 - STEL: 2 mg/m3

ACGIH - TWA(8h): 1 mg/m3 - STEL: 3 mg/m3 - Notes: URT, eye and skin irr

(8h): 200 ppm - STEL: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

MAGNESIUM HEXAFLUOROSILICATE - CAS: 18972-56-0

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 2.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term (acute)

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Worker Industry: 183 mg/kg - Consumer: 78 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 33 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

PHOSPHORIC ACID - CAS: 7664-38-2

Worker Industry: 2 mg/m3 - Consumer: 0.36 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 10.7 mg/l - Consumer: 4.57 mg/l - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 0.1 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 2.92 mg/m3 - Consumer: 0.73 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term (repeated)

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.



MAGNESIUM HEXAFLUOROSILICATE - CAS: 18972-56-0

Target: Marine water - Value: 0.9 mg/l Target: Fresh Water - Value: 0.9 mg/l Target: Soil (agricultural) - Value: 11 mg/kg

Target: Microorganisms in sewage treatments - Value: 51 mg/kg

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Target: Marine water - Value: 1 mg/l

Target: Soil (agricultural) - Value: 4.59 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg Target: Freshwater sediments - Value: 52.3 mg/kg

Target: Fresh Water - Value: 10 mg/l

Target: Air - Value: 100 mg/l

8.2. Exposure controls

Eve protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	
Colour:	pink	Visual	
Odour:	Floral	Olfactory	
Odour threshold:	Evident	Olfactory	
Melting point/freezing	Not Relevant		Parameter not relevant for the
point:			type of product
Boiling point or initial	>= 100 °C		Estimated value on chemical /
boiling point and boiling			physical properties of
range:			components
Flammability:	non-flammabl		Estimated parameter on
	е		chemical / physical properties of



			components.
Lower and upper explosion	Not Relevant		Parameter not relevant for the
limit:			type of product
Flash point:	> 60 ° C		Estimated value on chemical /
			physical properties of
			components
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the
			type of product
Decomposition	Not Relevant		Parameter not relevant for the
temperature:			type of product
pH:	1,5 +/- 0,5	Instrumental	
		control	
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not
			viscous mixture.
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient	< 1000		Value estimated based on the
n-octanol/water (log value):			solubility of the mixture.
Vapour pressure:	Not Relevant		Parameter not relevant for the
			type of product
Density and/or relative	1.140 g/ml	Instrumental	
density:	_	control	
Relative vapour density:	Not Relevant		Parameter not relevant for the
			type of product
Particle characteristics:			

- - -

Particle size (average and	Not Relevant	 Parameter not relevant for the
range)		type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

In normal conditions no dangerous reactions of the mixture

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability, see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

CRIS

a) acute toxicity

The product is classified: Acute Tox. 4 H302

ATEmix - Oral 869,565 mg/kg bw

b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

MAGNESIUM HEXAFLUOROSILICATE - CAS: 18972-56-0

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 3900 mg/cm3 - Duration: 4h

Test: LD50 - Route: Oral = 200 mg/kg

c) serious eye damage/irritation:

Test: Eye Corrosive Positive

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

g) reproductive toxicity:

Test: NOAEC - Species: Rat > 300 ppm

i) STOT-repeated exposure:

Test: NOAEC - Route: Oral - Species: Rat = 300 ppm

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2



a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 25.8 mg/l - Duration: 6h

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rat Negative - Source: OECD 404

d) respiratory or skin sensitisation:

Test: NOAEC - Route: Skin - Species: Rabbit > 1000 mg/kg - Source: OECD 410 -

Notes: bw/day

Test: NOAEC - Route: Inhalation - Species: Rabbit = 1000 ppm - Source: OECD 413 -

Notes: bw/day

f) carcinogenicity:

Test: NOAEC - Species: Mouse = 3000 ppm

g) reproductive toxicity:

Test: NOAEC - Species: Rat = 1500 ppm - Source: OECD 414

PHOSPHORIC ACID - CAS: 7664-38-2

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit = 2740 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 300 mg/kg - Source: OECD 423

Test: LC50 - Route: Inhalation - Species: Rat > 213 mg/m3

b) skin corrosion/irritation:

Test: Skin Corrosive Yes

c) serious eye damage/irritation:

Test: Eye Corrosive Yes

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

e) germ cell mutagenicity:

Test: Mutagenesis Negative

g) reproductive toxicity:

Test: NOAEL - Species: Rat > 410 mg/kg bw/d - Source: OECD 422

i) STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 250 mg/kg bw/d - Duration: 90gg - Source:

OECD 422

STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT - CAS: 26635-92-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: CESIO

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

CRIS

The product is classified: Aquatic Chronic 3 - H412

MAGNESIUM HEXAFLUOROSILICATE - CAS: 18972-56-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 100 mg/l Endpoint: EC50 - Species: Daphnia = 100 mg/l Endpoint: EC50 - Species: Algae = 27.4 mg/l

b) Aquatic chronic toxicity:



Endpoint: EC10 - Species: Fish = 4 mg/l Endpoint: EC10 - Species: Daphnia = 8.9 mg/l Endpoint: EC10 - Species: Algae = 21.6 mg/l

c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 151 ml/l Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 62.5 mg/l 1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Onchorynchus mykiss

Endpoint: EC50 - Species: Daphnia > 21100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 168 - Notes: Selenastrum capricornutum

PHOSPHORIC ACID - CAS: 7664-38-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

Endpoint: LC50 - Species: Fish = 3 mg/l - Duration h: 96 - Notes: Lepomis macrochirus Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

STEARYL AMINE ETHOXYLATED, ACETIC ACID SALT - CAS: 26635-92-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudomonas putida

Endpoint: LC0 - Species: Fish = 0.5 mg/l - Duration h: 48 - Notes: golden orfe

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Biodegradability: Readily biodegradable - Duration: 28 days - %: 96 - Notes: Test OECD 301

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor - Notes: <100

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

1-METHOXY-2-PROPANOL; MONOPROPYLENE GLYCOL METHYL ETHER - CAS: 107-98-2



Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information



14.1. UN number or ID number

ADR-UN Number: 1760 IATA-UN Number: 1760 IMDG-UN Number: 1760

14.2. UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. (MAGNESIUM

HEXAFLUOROSILICATE)

IATA-Shipping Name: CORROSIVE LIQUID, N.O.S.(MAGNESIUM

HEXAFLUOROSILICATE)

IMDG-Shipping Name: CORROSIVE LIQUID, N.O.S.(MAGNESIUM

HEXAFLUOROSILICATE)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No

IMDG-EmS: F-A , S-B

14.6. Special precautions for user

ADR-Subsidiary hazards: ADR-S.P.: 274

ADR-Transport category (Tunnel restriction code): 3 (E)

IATA-Passenger Aircraft: 852 IATA-Subsidiary hazards: -



 IATA-Cargo Aircraft:
 856

 IATA-S.P.:
 A3 A803

 IATA-ERG:
 8L

 IMDG-SP
 223 274

IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A SW2

IMDG-Segregation:

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H301 Toxic if swallowed.

H332 Harmful if inhaled.



H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H225 Highly flammable liquid and vapour.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)
Aguatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold



The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EC0/10/20/50/ Effective concentration, for 0/10/20/50/100 percent of test population.

100:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC0/10/20/50/ Lethal concentration, for 0/10/20/50/100 percent of test population.

100:

LD0/10/20/50/ Lethal dose, for 0/10/20/50/100 percent of test population.

100:

NOEC: No Observed Effect Concentration

NOAEL(R)/N No Observed Adverse Effect Level(Repeated)/Concentration

OAEC:

OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.



ANNEX I PROFESSIONAL PRODUCT – WAX AND POLISH

Title of exposure scenario		
Polish product: Manual process		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC31 – Polishes and wax blends	
Description of activities/process considered on exposure scenario.		
Use following the use instruction as specified on the label.		
Leave on.		
Rinse, if necessary.		
Frequency and duration		
Use phase	monthly average use, depending on the surfaces to treat.	
Relevant limit values of ingredients, if available, are stated	in section 8 of the SDS.	
Physical appearence and concentration		
Liquid. Ready to use.		
In section 2 of the SDS of product and on the label the clas	sification of mixture is provided.	
Mixture classification is based on ingredients classification	and on chemical/physical properties stated in section 9	
of the SDS of product.		
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
See section 8 of the SDS of product to more information	Training of worker to use and maintenance of PPE is	
on PPE.	supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry.		
See section 6 of the SDS in case of accidental release		
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as		
specified in section 7 on the SDS.		
Environmental measures See section 6 of the SDS in case of accidental release		
See section 6 of the SDS in case of accidental release See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.		
See section 13 of the SDS for disposal considerations.		

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment