

Safety Data Sheet dated 21/12/2018, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification RUBY EASY ECOLABEL Trade name: 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent for hard surfaces. Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms:



Warning Hazard statements: H319 Causes serious eye irritation. Precautionary statements: P264 Wash hands thoroughly after handling. P280 Wear eye protection. P337+P313 If eye irritation persists: Get medical advice/attention. Special Provisions: None

Product contents: anionic surfactants, non-ionic surfactants < 5 % The product also contains: Perfumes Special provisions according to Annex XVII of REACH and subsequent amendments: None

56494CLP/1 Page n. 1 of15



2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 15% - < 20% CITRIC ACID MONOHYDRATE REACH No.: 01-2119457026-42, CAS: 5949-29-1, EC: 201-069-1 3.3/2 Eye Irrit. 2 H319 >= 3% - < 5% 3-BUTOXY-2-PROPANOL REACH No.: 01-2119475527-28, Index number: 603-052-00-8, CAS: 5131-66-8, EC: 225-878-4 3.2/2 Skin Irrit. 2 H315 3.3/2 Eye Irrit. 2 H319 >= 1% - < 3% ALKYL ETHER SULFATE C12-14, SODIUM SALT REACH No.: 01-2119488639-16, CAS: 68891-38-3, EC: 500-234-8 3.2/2 Skin Irrit. 2 H315 4.1/C3 Aquatic Chronic 3 H412 🤨 3.3/1 Eye Dam. 1 H318 >= 1% - < 3% ETHANOL REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6 2.6/2 Flam. Liq. 2 H225 3.3/2 Eye Irrit. 2 H319 >= 1% - < 3% ALKYL POLYGLYCOL ETHER C10-16 CAS: 69227-22-1 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 >= 0.1% - < 0.25% PROPAN-2-OL REACH No.: 01-2119457558-25, Index number: 603-117-00-0, CAS: 67-63-0, EC: 200-661-7

56494CLP/1 Page n. 2 of15



2.6/2 Flam. Liq. 2 H225

3.3/2 Eye Irrit. 2 H319

3.8/3 STOT SE 3 H336

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons: None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

56494CLP/1 Page n. 3 of15



5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
 - Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. See section 10.

See Section 10.

Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

ETHANOL - CAS: 64-17-5

56494CLP/1 Page n. 4 of15



EU - TWA(8h): 1920 mg/m3, 1000 ppm - Notes: WEL ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr PROPAN-2-OL - CAS: 67-63-0 ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair **DNEL Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2. 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 Worker Industry: 44 mg/kg - Consumer: 16 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects - Notes: bw/day Worker Industry: 270.5 mg/m3 - Consumer: 33.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Consumer: 8.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/day ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 Worker Industry: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects Worker Industry: 175 mg/m3 - Consumer: 52 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects ETHANOL - CAS: 64-17-5 Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day PROPAN-2-OL - CAS: 67-63-0 Worker Industry: 888 mg/kg - Consumer: 319 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects Worker Industry: 500 mg/m3 - Consumer: 89 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Consumer: 26 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2. CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 Target: Marine water - Value: 0.044 mg/l Target: Fresh Water - Value: 0.44 mg/l Target: Marine water sediments - Value: 34.6 mg/kg Target: Freshwater sediments - Value: 3.46 mg/kg Target: Soil (agricultural) - Value: 33.1 mg/kg Target: Microorganisms in sewage treatments - Value: 1001 mg/l 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 Target: Marine water - Value: 0.0525 mg/l Target: Marine water sediments - Value: 0.236 mg/kg Target: Soil (agricultural) - Value: 0.16 mg/kg Target: Microorganisms in sewage treatments - Value: 10 ppm Target: Freshwater sediments - Value: 2.36 mg/kg ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

56494CLP/1 Page n. 5 of15



Target: Marine water - Value: 0.024 mg/l

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water sediments - Value: 0.09168 mg/kg

Target: Soil (agricultural) - Value: 7.5 mg/kg

Target: Freshwater sediments - Value: 0.9168 mg/kg

ETHANOL - CAS: 64-17-5

Target: Marine water - Value: 0.79 mg/l

Target: Fresh Water - Value: 0.96 mg/l

Target: Marine water sediments - Value: 2.9 mg/kg

Target: Soil (agricultural) - Value: 0.63 mg/kg

Target: Freshwater sediments - Value: 3.6 mg/kg

PROPAN-2-OL - CAS: 67-63-0

Target: Microorganisms in sewage treatments - Value: 2251 mg/l

Target: Marine water sediments - Value: 552 mg/kg

Target: Soil (agricultural) - Value: 28 mg/kg

Target: Marine water - Value: 140.9 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

The product is not dangerous for the environment - see section 2.1.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, red	Visual	
Odour:	Fruity	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	>2,1	Instrumental control	



Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>=100°C		Estimated value on chemical / physical properties of components
Flash point:	>60 ° C	EN ISO 3679	
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.083 g/ml	Instrumental control	
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient (n-octanol/water):	< 1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	<10 cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

56494CLP/1 Page n. 7 of15



10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

- 10.4. Conditions to avoid Avoid direct sunlight and exposure to heat sources. Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION	11: Toxicological information
11.1.	Information on toxicological effects
Toxio	cological information of the product:
	RUBY EASY ECOLABEL
	a) acute toxicity
	Not classified
	Based on available data, the classification criteria are not met
	b) skin corrosion/irritation
	Not classified
	Based on available data, the classification criteria are not met
	c) serious eye damage/irritation
	The product is classified: Eye Irrit. 2 H319
	d) respiratory or skin sensitisation
	Not classified
	Based on available data, the classification criteria are not met
	e) germ cell mutagenicity
	Not classified
	Based on available data, the classification criteria are not met
	f) carcinogenicity
	Not classified
	Based on available data, the classification criteria are not met
	g) reproductive toxicity
	Not classified
	Based on available data, the classification criteria are not met
	h) STOT-single exposure
	Not classified
	Based on available data, the classification criteria are not met
	i) STOT-repeated exposure
	Not classified
	Based on available data, the classification criteria are not met
	j) aspiration hazard
	Not classified
	Based on available data, the classification criteria are not met
Toxio	cological information of the main substances found in the product:
	Below are reported, if available, the toxicological information of the components listed in
	paragraph 3.2.
	CITRIC ACID MONOHYDRATE - CAS: 5949-29-1
	a) acute toxicity:

56494CLP/1 Page n. 8 of15



Test: LD50 - Route: Oral - Species: Rat = 3000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: NOAEL - Route: Oral - Species: Rat = 4 mg/kg bw/d b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eve Irritant - Species: Rabbit Positive - Source: OECD 405 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test g) reproductive toxicity: Test: NOAEL - Species: Rat > 295 mg/kg bw/d Toxicological kinetics, metabolism and distribution information: Test: NOAEL - Route: Oral - Species: Rat = 1200 mg/kg 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 3300 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 3.5 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin Yes c) serious eye damage/irritation: Test: Eye Irritant Yes d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin No i) STOT-repeated exposure: Test: Repeated exposure No ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 a) acute toxicity: Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OECD 402 Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401 b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test ETHANOL - CAS: 64-17-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg - Source: OECD401 Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3 - Source: OECD403 Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg c) serious eye damage/irritation: Test: Eye Irritant Positive - Source: OECD405 - Notes: Conc. >=50% ALKYL POLYGLYCOL ETHER C10-16 - CAS: 69227-22-1 a) acute toxicity: Test: LD50 - Route: Oral = 1800 mg/kg PROPAN-2-OL - CAS: 67-63-0 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 10000 ppm - Duration: 6h Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit No - Source: OECD 404

56494CLP/1 Page n. 9 of15



c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Yes - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative g) reproductive toxicity: Test: NOAEL - Route: Oral - Species: Rabbit = 480 mg/kg ETHANOL - CAS: 64-17-5 LD50 (RABBIT) ORAL: 6300 MG/KG LD50 (RAT) ORAL SINGLE DOSE: 7060 MG/KG **SECTION 12: Ecological information** 12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. RUBY EASY ECOLABEL Not classified for environmental hazards Based on available data, the classification criteria are not met CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 48 - Notes: Leuciscus idus melanotus Endpoint: EC50 - Species: Daphnia = 120 mg/l - Duration h: 72 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 990 mg/l - Duration h: 72 - Notes: Alga b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Algae = 425 mg/l - Duration h: 192 c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 16 - Notes: Pseudomonas putida 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 560 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -Duration h: 3 e) Plant toxicity: Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 10 mg/l - Notes: Leuciscus idus Endpoint: EC50 - Species: Daphnia > 10 mg/l - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100 mg/l - Notes: Scenedesmus subspicatus

b) Aquatic chronic toxicity:

56494CLP/1 Page n. 10 of15



Endpoint: NOEC - Species: Fish > 1 mg/l - Notes: Leuciscus idus Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC0 - Species: Microorganisms / Effect on activated sludge: > 100 mg/l -Notes: Pseudomonas putida ETHANOL - CAS: 64-17-5 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna ALKYL POLYGLYCOL ETHER C10-16 - CAS: 69227-22-1 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Notes: Brachydanio rerio PROPAN-2-OL - CAS: 67-63-0 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 9640 mg/l - Duration h: 48 - Notes: Pimephales promelas Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 24 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 1800 mg/l - Duration h: 168 - Notes: Scenedesmus quadricauda 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 Biodegradability: Readily biodegradable - Test: OECD 302B - Duration: 14 d - %: 85 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 Biodegradability: Readily biodegradable - Duration: 28 days - %: 90 - Notes: OECD 30 ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 Biodegradability: Readily biodegradable ETHANOL - CAS: 64-17-5 Biodegradability: Readily biodegradable The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer. 12.3. Bioaccumulative potential Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 Bioaccumulation: Slightly bioaccumulative - Test: Log Pow - Partition coefficient -1.67 3-BUTOXY-2-PROPANOL - CAS: 5131-66-8 Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor -Notes: <100 ETHANOL - CAS: 64-17-5 Bioaccumulation: Slightly bioaccumulative - Test: Kow - Partition coefficient -0.31 12.4. Mobility in soil Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

3-BUTOXY-2-PROPANOL - CAS: 5131-66-8



Mobility in soil: Mobile

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name Not applicable
- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group Not applicable
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None
- Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

56494CLP/1 Page n. 12 of15



Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment
No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.
No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H319 Causes serious eye irritation.
- H315 Causes skin irritation.
- H412 Harmful to aquatic life with long lasting effects.
- H318 Causes serious eye damage.
- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H336 May cause drowsiness or dizziness.

Hazard class and	Code	Description
hazard category		
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

56494CLP/1 Page n. 13 of15



ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society).
CLP: DNEL:	Classification, Labeling, Packaging. Derived No Effect Level.
	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
	Lethal concentration, for 0/10/20/50/100 percent of test population.
100:	
LD0/10/20/50/ 100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Śhort Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



ANNEX I

PROFESSIONAL TRIGGER PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario		
Detergent for general cleaning: Manual process.		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC35 – Washing and cleaning products (including solvent based products)	
Description of activities/process considered on ex	xposure scenario.	
If required, transfer product from canister to trigge	er bottle.	
Use following the use instruction as specified on th	ne label.	
Leave on.		
Rinse, if necessary.		
Frequency and duration		
Use phase	Daily, depending on room size and room dirty conditions.	
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.		
Physical appearence and concentration		
Liquid. To diluite or ready to use.		
In section 2 of the SDS of product and on the label	the classification of mixture is provided.	
Mixture classification is based on ingredients classi	ification and on chemical/physical properties stated in section 9	
of the SDS of product.		
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
Avoid spray inhalation.		
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and	1 dry.	
See section 6 of the SDS in case of accidental relea	se	
Follow use instruction as specified on the label or o	on technical sheet. Use good occupational hygiene practices as	
specified in section 7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental relea	se	
See section 12 of the SDS for ecotoxicological inf	formation of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerat	ions.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment