

Safety Data Sheet dated 28/5/2014, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification Trade name: WASH PLUS DISINFECTANT
1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:
Detergent for manual dishwashing.
Uses advised against:
Do not use in combination with other products.
1.3. Details of the supplier of the safety data sheet Manufacturer:
SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1

Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:
Xi Irritant
N Dangerous for the environment
R Phrases:
R38 Irritating to skin.
R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

EC regulation criteria 1272/2008 (CLP)

Onger, Skin Corr. 1B, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Warning, Aquatic Acute 1, Very toxic to aquatic life.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:



Danger Hazard statements: H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

53595ASSIST/1

Page n. 1 of9



P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: None Contents ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE ALCOHOLS, C13-15 BRANCHED AND LINEARS, ETHOXYLATED **C8-18 ALKYLAMIDOPROPYL BETAINE** C12-14 ALKYLDIMETHYLAMINES, N-OXIDES Product contents: 5 - 15 % amphoteric surfactants, non-ionic surfactants The product also contains: Disinfectants, Perfumes Alleraens: **D-LIMONENE** Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances N.A. 3.2. Mixtures Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification: >= 7% - < 10% ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE CAS: 68391-01-5, EC: 269-919-4 Xn,C,N; R50-21/22-34 3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Oral Acute Tox. 4 H302 3.2/1B Skin Corr. 1B H314 4.1/A1 Aquatic Acute 1 H400 >= 3% - < 5% ALCOHOLS, C13-15 BRANCHED AND LINEARS, ETHOXYLATED REACH No.: 02-2119548515-35 Xn,Xi; R22-41 3.3/1 Eye Dam. 1 H318 3.1/4/Oral Acute Tox. 4 H302 >= 3% - < 5% C8-18 ALKYLAMIDOPROPYL BETAINE REACH No.: 01-2119488533-30, EC: 931-296-8 Xi; R41 3.3/1 Eye Dam. 1 H318 4.1/C3 Aquatic Chronic 3 H412 >= 3% - < 5% C12-14 ALKYLDIMETHYLAMINES, N-OXIDES REACH No.: 01-2119490061-47, CAS: 308062-28-4, EC: 931-292-6 Xn,Xi,N; R22-38-41-50 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 53595ASSIST/1

Page n. 2 of9



- 13.2/2 Skin Irrit. 2 H315
- \diamond 4.1/A1 Aquatic Acute 1 H400
- \odot 4.1/C2 Aquatic Chronic 2 H411
- >= 1% < 3% FATTY ACID AMIDE
 - CAS: 68603-42-9, EC: 271-657-0 Xi; R38-41

 - 3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318

SECTION 4: First aid measures

- 4.1. Description of first aid measures
- In case of skin contact:
 - Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eves contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

- Protect uninjured eye.
- In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
- None
- 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions

53595ASSIST/1

Page n. 3 of9



Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water. 6.4. Reference to other sections
- See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.
7.2. Conditions for safe storage, including any incompatibilities Store away from sunlight. Store in a cool and well ventilated place. Keep away from food, drink and feed. Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available DNEL Exposure Limit Values

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Worker Industry: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 15.5 mg/m3 - Consumer: 3.8 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 0.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects PNEC Exposure Limit Values

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Target: Marine water - Value: 0.00335 mg/l

Target: Marine water sediments - Value: 0.524 mg/kg

Target: Soil (agricultural) - Value: 1.02 mg/kg

Target: Microorganisms in sewage treatments - Value: 24 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection:

Not needed for normal use.

Thermal Hazards:

53595ASSIST/1

Page n. 4 of9



None Environmental exposure controls: None

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and		
Appearance and colour:	Clear liquid, colorless/yellow	
Odour:	Citrus	
Odour threshold:	Evident	
pH:	8,0 +/- 0,5	
Melting point / freezing point:	N.A.	
Initial boiling point and boiling ra	ange: N.A.	
Solid/gas flammability:	N.A.	
Upper/lower flammability or exp	losive limits: N.A.	
Vapour density:	N.A.	
Flash point:	> 65 ° C	
Evaporation rate:	N.A.	
Vapour pressure:	N.A.	
Relative density:	1,005 g/ml	
Solubility in water:	Total	
Solubility in oil:	Partial	
Partition coefficient (n-octanol/w	vater): < 1000	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	125 cP	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	
9.2. Other information		
Miscibility:	N.A.	
Fat Solubility:	N.A.	
Conductivity:	N.A.	
Substance Groups relevant pro	perties Not Relevant	

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects
Toxicological information of the mixture: N.A.
Toxicological information of the main substances found in the mixture: ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 344 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 3340 mg/kg

53595ASSIST/1 Page n. 5 of9



C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4 a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1064 mg/kg

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Very toxic to aquatic organisms. ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 0.016 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: LC50 - Species: Fish = 0.28 mg/l - Duration h: 96 - Notes: Pimephales promelas Endpoint: EC50 - Species: Algae = 0.049 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 2.67 mg/l Endpoint: EC50 - Species: Daphnia = 3.1 mg/l Endpoint: EC50 - Species: Algae = 0.143 mg/l 12.2. Persistence and degradability None N.A. 12.3. Bioaccumulative potential N.A. 12.4. Mobility in soil N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number ADR-UN Number:

53595ASSIST/1 Page n. 6 of9

3082



IATA-UN Number:	3082
IMDG-UN Number:	3082
14.2. UN proper shipping name ADR-Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
IATA-Shipping Name:	N.O.S. (ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
IMDG-Shipping Name:	N.O.S. (ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE)
14.3. Transport hazard class(es)	N.O.S. (ALKTEDIWETHTEDENZTEAMINONIUM CHEORIDE)
ADR-Class:	9
ADR-Class. ADR-Label:	9
ADR - Hazard identification nur	
IATA-Class:	
IATA-Class. IATA-Label:	9 9
IMDG-Class:	9
IMDG-Class:	9
14.4. Packing group	9
ADR-Packing Group:	III
IATA-Packing group:	
IMDG-Packing group:	
14.5. Environmental hazards	
ADR-Environmental Pollutant:	Yes
IMDG-Marine pollutant:	Marine Pollutant
14.6. Special precautions for user	Manne i oliatant
Rail (RID):	9
ADR-Subsidiary risks:	-
ADR-S.P.:	274 335 601
ADR-Tunnel Restriction Code:	
IATA-Passenger Aircraft:	964
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	964
IATA-S.P.:	A97 A158
IATA-ERG:	9L
IMDG-Page:	87
IMDG-EmS:	F-A , S-F
IMDG-Subsidiary risks:	-
IMDG-Storage category:	Category A
IMDG-Storage notes:	-
	nnex II of MARPOL73/78 and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 453/2010 (Annex I) Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

53595ASSIST/1

Page n. 7 of9



None

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R34 Causes burns.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

H312 Harmful in contact with skin.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).

Page n. 8 of9



IMDG: INCI:	International Maritime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.